In the Claims

1(Currently Amended)

A compound of the structural formula I:

$$R_{4}$$
 R_{4}
 R_{6}
 R_{2}
 R_{2}
 R_{3}

Formula I

or a pharmaceutically acceptable salt, enantiomer, diastereomer or mixture thereof: wherein,

R represents hydrogen, or C₁₋₆ alkyl;

R₁ represents hydrogen or C₁₋₆ alkyl, CF₃, C₁₋₆ alkoxy, COR^c, CO₂R₈, CONHCH₂CO₂R, N(R)₂, said alkyl and alkoxy optionally substituted with 1-3 groups selected from R^b;

X represents -(CHR7)p-;

Y is not present, $-CO(CH_2)_{n-}$, or -CH(OR)-;

Q represents N, CRY, or O, wherein R2 is absent when Q is O;

Ry represents H, or C₁₋₆ alkyl;

 R_w represents H, C_{1-6} alkyl, $-C(O)C_{1-6}$ alkyl, $-C(O)OC_{1-6}$ alkyl, $-SO_2N(R)_2$, $-SO_2C_{1-6}$ alkyl, $-SO_2C_{6-10}$ aryl, NO_2 , CN or $-C(O)N(R)_2$;

R2 represents hydrogen, C_{1-10} alkyl, C_{1-6} alkylSR, - $(CH_2)_nO(CH_2)_mOR$, - $(CH_2)_nC_{1-6}$ alkoxy, - $(CH_2)_nC_{3-8}$ cycloalkyl, - $(CH_2)_nC_{3-10}$ heterocyclyl, - $(CH_2)_nC_{5-10}$ heterocyclyl, - $(CH_2)_nC_{6-10}$ aryl, said alkyl, heterocyclyl, aryl or heterocyclyl optionally substituted with 1-3 groups selected from Ra;

R3 represents hydrogen, C1-10 alkyl, -(CH2)_nC3-8 cycloalkyl, -(CH2)_nC3-10 heterocyclyl, -(CH2)_nC5-10 heteroaryl, -(CH2)_nCOOR, -(CH2)_nC6-10 aryl, - (CH2)_nNHR8, -(CH2)_nN(R)2, -(CH2)_nNHCOOR, -(CH2)_nN(R8)CO2R, - (CH2)_nN(R8)COR, -(CH2)_nNHCOR, -(CH2)_nCONH(R8), aryl, -(CH2)_nC1-6 alkoxy, CF3, -(CH2)_nSO2R, -(CH2)_nSO2N(R)2, -(CH2)_nCON(R)2, -(CH2)_nCONHC(R)3, - (CH2)_nCOR8, nitro, cyano or halogen, said alkyl, alkoxy, heterocyclyl, aryl or heteroaryl optionally substituted with 1-3 groups of Ra;

or, when Q is N, R₂ and R₃ taken together with the intervening N atom form a 4-10 membered heterocyclic carbon ring optionally interrupted by 1-2 atoms of O, S, C(O) or NR, and optionally having 1-4 double bonds, and optionally substituted by 1-3 groups selected from R^a;

R4 and R5 independently represent hydrogen, C₁₋₆ alkoxy, OH, C₁₋₆ alkyl, COOR, SO₃H, O(CH₂)_nN(R)₂, O(CH₂)_nCO₂R, C₁₋₆ alkylcarbonyl, S(O)qRy, OPO(OH)₂, CF₃, N(R)₂, nitro, cyano or halogen;

R6 represents hydrogen, C_{1-10} alkyl, $-(CH_2)_nC_{6-10}$ aryl, $-(CH_2)_nC_{5-10}$ heteroaryl, $(C_{6-10}$ aryl)O-, $-(CH_2)_nC_{3-10}$ heterocyclyl, $-(CH_2)_nC_{3-8}$ cycloalkyl, -COOR, $-C(O)CO_2R$, said aryl, heteroaryl, heterocyclyl and alkyl optionally substituted with 1-3 groups selected from R^a , with the proviso that when Y is absent, X is absent when p-0, R_1 is hydrogen, and Q is CR_1 then R_2 is not hydrogen;

R7 represents hydrogen, C_{1-6} alkyl, $-(CH_2)_nCOOR$ or $-(CH_2)_nN(R)_2$,

R8 represents - $(CH_2)_nC_3$ -8 cycloalkyl, - $(CH_2)_n$ 3-10 heterocyclyl, C_{1-6} alkoxy or - $(CH_2)_nC_{5-10}$ heteroaryl, said heterocyclyl, aryl or heteroaryl optionally substituted with 1-3 groups selected from R^a ;

Ra represents F, Cl, Br, I, CF₃, N(R)₂, NO₂, CN, -COR₈, -CONHR₈, -CON(R₈)₂, -O(CH₂)_nCOOR, -NH(CH₂)_nOR, -COOR, -OCF₃, -NHCOR, -SO₂R, -SO₂NR₂, -SR, (C₁-C₆ alkyl)O-, -(CH₂)_nO(CH₂)_mOR, -(CH₂)_nC₁₋₆ alkoxy, (aryl)O-, -OH, (C₁-C₆ alkyl)S(O)_m-, H₂N-C(NH)-, (C₁-C₆ alkyl)C(O)-, (C₁-C₆ alkyl)OC(O)NH-, -(C₁-C₆ alkyl)NR_w(CH₂)_nC₃₋₁₀ heterocyclyl-R_w, -(C₁-C₆ alkyl)O(CH₂)_nC₃₋₁₀ heterocyclyl-

 $R_{w}, -(C_{1}-C_{6} \text{ alkyl})S(CH_{2})_{n}C_{3-10} \text{ heterocyclyl-} \\ R_{w}, -(C_{1}-C_{6} \text{ alkyl})-C_{3-10} \text{ heterocyclyl-} \\ R_{w}, -(CH_{2})_{n}-Z^{1}-C(=Z^{2})N(R)_{2}, -(C_{2-6} \text{ alkenyl})NR_{w}(CH_{2})_{n}C_{3-10} \text{ heterocyclyl-} \\ R_{w}, -(C_{2-6} \text{ alkenyl})O(CH_{2})_{n}C_{3-10} \text{ heterocyclyl-} \\ R_{w}, -(C_{2-6} \text{ alkenyl})S(CH_{2})_{n}C_{3-10} \text{ heterocyclyl-} \\ R_{w}, -(C_{2-6} \text{ alkenyl})-C_{3-10} \text{ heterocyclyl-} \\ R_{w}, -(C_{2-6} \text{ alkenyl})-Z^{1}-C(=Z^{2})N(R)_{2}, -(CH_{2})_{n}SO_{2}R, -(CH_{2})_{n}SO_{3}H, -(CH_{2})_{n}PO(OR)_{2}, \text{ cyclohexyl}, \\ morpholinyl, \text{ piperidyl, pyrrolidinyl, thiophenyl, phenyl, pyridyl, imidazolyl, oxazolyl, isoxazolyl, thiazolyl, thienyl, furyl, isothiazolyl, C_{2-6} \text{ alkenyl, and } C_{1}-C_{10} \text{ alkyl, said} \\ \text{alkyl, alkenyl, alkoxy, phenyl, pyridyl, imidazolyl, oxazolyl, isoxazolyl, thiazolyl, thienyl, furyl, and isothiazolyl optionally substituted with 1-3 groups selected from C_{1}-C_{6} \text{ alkyl,} \\ \text{CN, } (CH_{2})_{n}\text{tetrazolyl, COOR, SO_{3}H, OH, F, Cl, Br, I, -O(CH_{2})_{n}CH(OH)CH_{2}SO_{3}H, \\ \text{CN, } (CH_{2})_{n}\text{tetrazolyl, COOR, SO_{3}H, OH, F, Cl, Br, I, -O(CH_{2})_{n}CH(OH)CH_{2}SO_{3}H, \\ \text{CN, } (CH_{2})_{n}\text{CH}(OH)CH_{2}SO_{3}H, \\ \text{CN, } (CH_{2}$

Z1 and Z2 independently represents NR_w, O, CH₂, or S;

Rb represents C_{1-6} alkyl, -COOR, -SO₃R, -OPO(OH)₂, -(CH₂)_nC₆₋₁₀ aryl, or -(CH₂)_nC₅₋₁₀ heteroaryl;

Rc represents hydrogen, C₁₋₆ alkyl, or -(CH₂)_nC₆₋₁₀ aryl;

m is 0-3;

n is 0-3;

q is 0-2; and

p is 0-1.

2(Currently Amended). A <u>compound according to claim 1</u> of the structural formula I wherein X represents CHR7.

3(Original). A compound according to claim 1 wherein Y is -

 $CO(CH_2)_n$.

4(Original). A compound according to claim 1 wherein Y is CH(OR).

5(Original). A compound according to claim 1 wherein Q is N.

6(Currently amended). A compound according to claim 1 wherein Q is CRy, and Ry is hydrogen.

7(Original). A compound according to claim 2 wherein R₆ is (CH₂)_nC₆₋₁₀ aryl, (CH₂)_nC₅₋₁₀ heteroaryl, (CH₂)_nC₃₋₁₀ heterocyclyl, or (CH₂)_nC₃₋₈

cycloalkyl, said aryl, heteroaryl, heterocyclyl and alkyl optionally substituted with 1 to 3 groups of Ra.

8(Original). A compound according to claim 6 wherein R7 is hydrogen or C_{1-6} alkyl.

9(Original). A compound according to claim 6 wherein Q is N and n is 0.

10(Original). A compound according to claim 1 wherein Y is - $CO(CH_2)_n$, Q is N, n is 0, R₂ is C₁₋₁₀ alkyl or C₁₋₆ alkylOH and R₃ is $(CH_2)_nC_{3-10}$ heterocyclyl, said heterocyclyl and alkyl optionally substituted with 1 to 3 groups of Ra. 11(Original). A compound selected from Tables 1 through 14 which is:

Table 1

Wherein R represents:

Table 2

Wherein R represents:

and R[^] represents hydrogen or methyl

Wherein R represents:

R* represents:

and R^ represents hydrogen or methyl;

R represents methyl or methoxy and R* represents methyl, H or COOH;

R' represents methyl or methoxy; R^ represents hydrogen or COOEt; R'" represents COOH or COOtBu; and R" represents: COOMe, H, COOH, or

R* represents hydrogen or methyl;

R[^] represents:

Wherein n represents 1-2;

R^ represents hydrogen or methyl

R represents:

and R' represents:

chlorine,

Table 7

 $Y=OCH_3$, CI, Br, CH_2CH_3 , or CN

R is:

Y=CH₃ or CH₂CH₃

R is:

 $\mathsf{Y} = \mathsf{OCH}_3, \ \mathsf{CN}, \mathsf{or} \ \mathsf{CI}; \ \mathsf{X} = \mathsf{H}, \ \mathsf{or} \ \mathsf{F}; \ \mathsf{Z} = \mathsf{Ph}, \ \mathsf{CH}(\mathsf{CH}_3)_2, \ \mathsf{CH}_2\mathsf{CH}(\mathsf{CH}_3)_2$

R is:

Table 11

Wherein R represents:

R₁ represents:

R2 represents: hydrogen or methyl

Table 12

Wherein R represents:



R₁ represents:

$$CN$$
 CO_2Et
 CO_2Et

R2 represents: hydrogen or methyl

Table 14

Case 21101YP

or a pharmaceutically acceptable salt, enantiomer, diastereomer or mixture thereof.

- 12. Cancel.
- 13. Cancel.
- 14. Cancel.
- 15. Cancel..
- 16. Cancel.
- 17. Cancel.
- 18. Cancel.
- 19. Cancel.
- 20. Cancel.
- 21. Cancel.